external Cartridge fire extinguisher



Tel：+86-21-54790272
Email：info@safety-plus.cn
Website：www.chinafiretech.com
Address：Room 1306, No.4 Building, No.168 Puhui Road, Juting Town, Songjiang District, Shanghai

Safety Plus Industrial Co., Ltd established in China; it has since evolved from external cartridge fire extinguisher into a specialized manufacturer of firefighting equipment. With over decades of experience in the field of fire fighting industry, safety plus always strive to provide the top standard products and services to the customers.

Introduction

External cartridge fire extinguisher is easy maintenance type and high reliable extinguisher with superior fire fighting performance. Equipped with external cartridge, ideal for offshore and mining industries. Dry powder and foam type available. Dry powder cartridge extinguisher suitable for Class A,B,C&electrical fire. Foam extinguisher suitable for Class A&B fires.



external Cartridge fire extinguisher



Cartridge fire extinguisher

Tel：+86-21-54790272
Email：info@safety-plus.cn
Website：www.chinafiretech.com
Address：Room 1306, No.4 Building, No.168 Puhui Road, Juting Town, Songjiang District, Shanghai

Features and Advantages

1. ISO 9001 quality management system certified, CE approved.

2. Available for extinguisher charged with powder and foam.

3. Powder extinguisher multipurpose for class A, B & C and electrical hazards. Foam extinguisher suitable for Class A, Class B fire.

4. Anti-Corrosive epoxy polyester internal coating for foam type.

5. Equipped with external cartridge, pressured with nitrogen gas, tested no leakage.

6. Easy maintenance of equipment.

7. High reliability, superior firefighting performance.

Tel：+86-21-54790272
Email：info@safety-plus.cn
Website：www.chinafiretech.com
Address：Room 1306, No.4 Building, No.168 Puhui Road, Juting Town, Songjiang District, Shanghai

Specifications

Model No.	SP01-05-6P	SP01-05-9P	SP01-05-6L	SP01-05-9L
Agent	6kg 40% ABC chemical powder	9kg 40% ABC chemical powder	6L Premix-3% AFFF	9L Premix-3% AFFF
Cartridge type	external cartridge	external cartridge	external cartridge	external cartridge
Material	St12/DC01	St12/DC01	St12/DC01	St12/DC01
Working pressure	12bar	12bar	12bar	12bar
Test pressure	30bar	30bar	30bar	30bar
Volume	7.6L	11.2L	7.6L	11.2L
Out diameter	160mm	183mm	160mm	183mm
Height	434mm	496mm	436mm	437mm
Full weight	11.2kg	15kg	11.9kg	15.6kg
Discharge Time Approx.(second)	>32s	>40s	>39s	>54s
Fire rating	27A/183B/C	34A/233B/C	21A/144B	27A/183B
Operating temperature	-30℃ - +60℃	-30℃ - +60℃	+5℃ - +60℃	+5℃ - +60℃

Tel：+86-21-54790272
Email：info@safety-plus.cn
Website：www.chinafiretech.com
Address：Room 1306, No.4 Building, No.168 Puhui Road, Juting Town, Songjiang District, Shanghai

Applications

External cartridge dry powder fire extinguisher used for class A, class B, class C, and live electrical fires.

External cartridge foam type fire extinguishers suitable for fighting class A and fire class B fires.

Ideal for areas where easy maintenance of equipment is requested, such as chemical, power generation, petro-chemical, mining, oil and gas, aviation etc.

In Safety Plus, we live by the spirit of delivering values to customer through superior customer service and top quality products. Adapting international standard on strict control of work and System, safety plus factory certified by ISO 9001. Furthermore our entire range of products are certified by EN3, UL, SABS, PED, LPCB etc.

Tel：+86-21-54790272
Email：info@safety-plus.cn
Website：www.chinafiretech.com
Address：Room 1306, No.4 Building, No.168 Puhui Road, Juting Town, Songjiang District, Shanghai